

OFFICE OF THE PRINCIPAL, R.I.H.S, BHOGRAI, BALASORE

www.rihsbhograi.org, e-mail:- principalrihs060@gmail.com

Notice No- 01/2023-24/OHEPEE

Date: 22.02.2024

Tender Notice

Sealed quotation are invited from reputed firms/suppliers/dealers with valid GST registration, PAN, IT return & Authorization Certificate from the manufacturer for supply of various items of R.I.H.S, Bhograi, Balasore under World Bank Assisted Project, OHEPEE, Govt. of Odisha so as to reach the undersigned on or before **29.02.2024, 5PM** by Speed Post/Registered Post/ Courier Service. The authority reserves the right to accept or reject any or all quotations without assigning any reason thereof.

For details, please log on to www.rihsbhograi.org

Principal,
Principal,
R.I.H.S. Bhograi
Principal
R.I.H.S., Bhograi
Balasore

Memo No:- 02/2023-24/OHEPEE

Date:- 22.02.2024

Copy forwarded to Accounts Bursar/ College Notice Board for information.

Principal,
Principal,
R.I.H.S. Bhograi
Principal
R.I.H.S., Bhograi
Balasore

R.I.H.S, BHOGRAI, BALASORE

Tender Documents

For

Supply of laboratory Island table (EPOXY Based), Wall side shelf Table (EPOXY Based), Laboratory Storage Rack (EPOXY Based), Desk & Bench (attached), Office Chair, Teacher's Demonstration Table (EPOXY Based), Teacher's Table for Class room, White Board, Fire Extingisher, Dustbin, Desktop Computer, Chair for Computer Lab., Computer Table for Computer, Almirah, Stool for Laboratory (for Physics, Chemistry, Botany, Zoology & Computer Lab.) & Reference Books (for all dept.)

At

R.I.H.S., Bhograi, Balasore

Tender Document No: 02/2023-24/OHEPEE


Date: 22.02.2024

Issued by:

Principal,


R.I.H.S.,

Bhograi, Balasore-756036


Principal,
R.I.H.S., Bhograi

SCHEDULE OF TENDER

Tender No	02/2023-24/OHEPEE
Name of the tender issuer	Principal, R.I.H.S., Bhograi
Scope of work	Supply of laboratory Island table (EPOXY Based), Wall side shelf Table (EPOXY Based), Laboratory Storage Rack (EPOXY Based), Desk & Bench (attached), Office Chair, Teacher's Demonstration Table (EPOXY Based), Teacher's Table for Class room, White Board, Fire Extinguisher, Dustbin, Desktop Computer, Chair for Computer Lab., Computer Table for Computer, Almirah, Stool for Laboratory (for Physics, Chemistry, Botany, Zoology & Computer Lab.) & Reference Books (for all dept.)
Cost/fees of tender Documents	Rs. 2000/- in the form of DD drawn in favour of Principal RIHS at the time of submission of tender documents.
BID Security	5% of Order value in form of DD/Cheque in favour of Principal RIHS at the time of issue of work order.
Date of issue of tender document	22.02.2024
Last date and time for submission of bids	29.02.2024, 5pm
Date and time of opening of technical bids	01.03.2024, 3pm
Date and time of financial bids opening	01.03.2024, 3pm
Address for communication	Principal, R.I.H.S., Bhograi, Balasore, Pin-756036


Principal,
R.I.H.S., Bhograi

CHECKLIST

The tenderers are hereby instructed to arrange and submit the following required documents as per the checklist

Sl. No	Name of Document	Yes/No	Page No
1	Bidder Details(Annexure-I)		
2	Technical specification with Compliance Statement(Annexure-II)		
3	Copy of Valid GSTIN Registration Certificate		
4	Copy of PAN		
5	The authorization certificate of OEM/ authorized Manufacturer/ Distributor/ Dealership/Retail Certificate		
6	Copy of Income Tax Return for last 03 Assessment years (21-22, 22-23 & 23-24)		
7	Must have ISO certificate for manufacture		
8	Must have BIFMA certificate for manufacture (Only furniture)		
9	Must have SEFA certificate for manufacture (Only furniture)		
10	Self-declaration for not having been black listed(Annexure-IV)		
11	Guarantee/Warranty(Annexure-V)		
12	Letter of Willingness(Annexure-VI)		
13	Original Tenderer form Duly Signed & Stamp on each Page		

Signature and with seal of tenderer

Date :

Note – If tender is not submitted in above manner by the tenderer, may be treated as non-responsive & liable to be rejected


Principal,
R.I.H.S., Bhograi

NOTICE INVITING TENDER

The Principal, **R.I.H.S., Bhograi** invites sealed tenders under "**TWO BID SYSTEM**" from reputed suppliers of good standards for selection of a supplier for the purpose of supplying different items to **Principal R.I.H.S., Bhograi, Balasore.**

"TWO BIDS SYSTEM"

Tenderer should take due care to submit the tender in accordance with requirement in sealed covers. Bids received shall be evaluated as per the Criteria prescribed in the tender document.


The College will not entertain any modifications subsequent to opening of bids and bids not conforming to tender conditions shall be liable to be rejected. Therefore, bidders are advised to submit their bids complete in all respects as per requirement of tender document specifying their acceptance to all the clauses of Bid Evaluation Criteria, General terms and conditions and compliance to the Scope of Work requirement etc.

i) Technical Bid shall consist full technical details along with commercial terms and conditions.

AND

ii) Financial Bid shall indicate item-wise price for the items mentioned in the technical bid.

The technical bid and the financial bid should be sealed by the bidder in separate covers duly super scribed as "**Technical Bid**" and "**Financial Bid**" respectively. **Both these sealed covers should then be kept in a bigger cover** which should also be sealed & duly super scribed as "Tender for supply of Laboratory Furniture/Books to **Principal R.I.H.S., Bhograi.**" **The Letter of Willingness& Check List.**


Principal,
R.I.H.S., Bhograi

ELIGIBILITYCRITERIA

The bidders who are desirous for above work require fulfilling the following conditions:


- A. Must be registered under GST Act
- B. Should not have been blacklisted by any State Govt. / Central Govt. / PSU India. A self-declaration is required as per **Annexure IV**.
- C. The Tenderer must be a Reputed Original Furniture manufacturer (OEM) or the authorized Dealer of an OEM should provide all documents relating to their manufacturing/ sales capabilities. Must have Odisha Office for after sales & Service (If OEM/ Dealer outside of the State). **Tenderer who has their own sales and service station in Odisha with GST Registration Number should only quote.**
- D. Proof of Establishment of Firms / Manufacturing unit/ Dealership certificate from the OEM to be attached with **Technical Bid**.
- E. The bidder should supply the items as per technical specification mentioned in **Annexure II**. The list of items available with the tenderer. **Original Technical Catalog as Proof of Technical Specification should be enclosed by Bidder, merely Copy & Paste of Technical Specification will be out right Rejected.**
- F. The bidder should compile as per **Annexure II**, duly filled in, signed and complete in all respects. No alteration/modification in the format shall be permitted.
- G. A self-declaration that the tenderer has not been blacklisted by any State Government/ /Central Govt./PSU in India as per **Annexure IV**.
- H. Performance Statement-**Annexure-V**
- I. If any Technical conflict arises while evaluating the Technical Bid, **Principal of R.I.H.S., Bhograi** may ask for **Live Demonstration** of same product in front of the Purchase committee.

1. LIST OF ITEMS:

Supply of Laboratory Furniture to **R.I.H.S., Bhograi**. The items have been described in Annexure-I A bidder can submit financial bid for any number of items however care should be taken to submit for accounting units mentioned against each item.

2. BIDDER:

The term Bidder shall mean Company, Firm, Agency or the Individual to whom the Contract is awarded and shall include its/ his/ her/ its heirs and legal representative.


Principal,
R.I.H.S., Bhograi

Successful Bidder is referred to as "Party" in this tender document.

3. MODE OF PAYMENT

- (i) Payment shall be made through NEFT/RTGS/Chq. Transfer only after satisfactory supply of the said items.
- (ii) The principal shall be at liberty to with hold any of the payments in full or in part.
- (iii) No advance payment will be made in any case
- (iv) The 100% payment shall be given within 10-15 days after satisfactory installation of the furniture/ material supplied & necessary training of operating personnel.

5. MODE OF SUBMISSION OF TENDER

- A. Tender should be submitted by tenderer in prescribed form.
- B. Tenderer should submit their offer in two parts as under:
 - (a) Technical Bid, consisting of technical details, drawing/catalogues/ brochures, data sheets or models etc. **(Annexure-II)**
 - (b) Financial Bid on prescribed format attached with the tender document **(Annexure-III)**
- C. Proposals complete in all respect should be submitted to the **R.I.H.S., Bhograi** through **Speed Post/ Registered Post/ Courier Service** only. The undersigned will not be responsible for any postal delay.
- D. All details asked for in the Annexure (s) should be properly filled in and each page of tender should be Stamped & Signed by the tenderer. Failure to attach Annexure required may in valid at the tender.
- E. Any tender which is not found in the proper form or is received late due to postal delay or otherwise shall in no case be accepted.
- F. The bidder is expected to examine all instructions, forms, terms and specifications in the bid document. Failure to furnish all information required as per the tender document or submission of bids not substantially responsive to the bidding document in every respect will be at the bidder's risk and may result in rejection of the bid.
- G. Offers should be typed and Price be quoted in words as well as in figures. In case of any discrepancy or variation in between figures and words is found, the offer in words shall be finally acceptable. Disagreement with this provision shall entail the bid as non-responsive and subsequently rejected.
- H. Tender documents are not transferable.
- I. Incomplete tenders or tender received after due date and not accompanied
- J. In no case the bidding manufacturer or the bidder, otherwise can authorize any other agency what so ever to supply the items to purchaser and receive payment in respect thereof.
- K. No amendment or supplementary attachment in the bidding document shall be allowed or entertained after the bid having been submitted to the purchaser. No representation there to at any stage shall be entertained.
- L. **Principal, R.I.H.S., Bhograi** reserves the right to reject any or all offers or increase/decrease in quantities, call for acceptance the offer in full or in part, without assigning any reasons thereof.


Principal,
R.I.H.S., Bhograi

- M. ISO certified Company should have established service team & network across the state.
- N. The principal is not bound to accept the tender quoting the least in the financial bid. The principal reserves the right to place order for a part of the quantity offered. The rates quoted by the bidder shall be valid for any such part.
- O. They should be registered for GST/CST/ST & Income Tax and should enclose copies of relevant certificates.
- P. Tenderer will have to produce all these original documents at any time as deemed by the Institute.

6. TERMS& CONDITIONS

The tenderer are requested to follow the below mentioned instructions

- A. Failure to comply with the conditions will result in forfeiting of the tender. Please cross out any mistakes and rewrite the same and counter sign.
- B. Cost involved in submitting the bids, attending the tender opening meeting, arrangements for the demonstration/presentation etc. shall be borne by the bidder.
- C. No tenderer shall be allowed to withdraw the tender rates after opening of the tender. If any tenderer withdraws the rates, Rates should be offered unconditionally and if rates are submitted with any condition the tender shall be rejected.
- D. Tenderer shall have to quote item wise rates; consolidated rates shall not be considered and tender shall be liable to be rejected out rightly.
- E. It is a compulsory requirement that the items offered make and model, as quoted by the bidder must be supplied, installed and must be in good working condition.
- F. Tenderer should quote for the whole set of items required and should be willing to undertake responsibility of commissioning, warranties and after sales service. Part offer/offers not as per given specification will not be considered.
- G. Tenders should comply all the terms and conditions given in the tender document and be quoted for the specification given in the tender documents.
- H. Notwithstanding anything stated herein above, the principal reserves the right to assess the tenderer capability and capacity to perform the contract, should the circumstances warrant such assessment.
- I. In case any part of the equipment supplied being found to be non-functional the entire unit of equipment shall be taken as non-functional
- J. The principal reserves the right to change the quantity/ upgrade the criteria/ drop any item or part thereof/extension of delivery date at any time before placing the purchase/ work/ supply order.
- K. Right to Acceptance: The college authority is not bound itself to accept the lowest tender. It is the sole discretion of the principal to place order for better quality.
- Signing of Tender: The individual signing the tender (or the documents in connection with it) must specify whether he/she is signing as:
 - (i) A person signing the tender form or any part thereof, on behalf of another, shall be deemed to warrant that he/she has the authority to bind the other and if on


Principal,
R.I.H.S. Bhograi

inquiry it appears that the person so signing has no authority do to so, Principal may without prejudice to other Civil and Criminal remedies, cancel the contract and hold the signatory liable for all costs and damages.

7. PRICES

Farm will submit the prices (all inclusive) for each item to be quoted on prescribed format attached with the tender document including charges for installation and commissioning with at least One year(12 months) Warranty from the date of satisfactory installation and commissioning of the equipment. The installation will include the mechanical, civil, electrical, furnishing work (if any) required at site.

The tenderer should take care that the rates and amounts are written in such a way its misinterpretations not possible.

The price ranking will be carried out as under:


1. The prices of optional items if not required as per technical specifications will be excluded for ranking purpose.
2. The ranking will be determined as under. Total Price (Cost) = Price quoted with all accessories as per technical specifications along with all the taxes and charges (if any). All these calculations must be clearly written by the bidder in price bid.
3. Offer with any price variation clause will not be accepted. The rates quoted in ambiguous terms such as "Freight on actual basis", "taxes as applicable extra" or "packing & forwarding extra" will render the tender liable for rejection.
4. G.S.T. or Central sales tax (C.S.T.) or as applicable must be reflected in the financial bid and the tax amount is to be clearly indicated separately but included in the lump sum price.
5. Bids shall be accepted with price quoted invariably in Indian Currency.
6. No increase in price shall be allowed even if claimed on the grounds of any statutory increase or fresh in position of any other tax later.
7. Discount, if any, offered by the bidder shall not be considered unless specifically indicated in the price schedule and shall be taken into account for consideration only if it is quoted clearly with net price taking all such factors like discount, free supply etc. to arrive at net price.
8. Prices: The tenderer are required to quote as per "Annexure" (Financial Bid) in a Separate Envelope. The rates quoted shall include the cost of Material, labour, Transport & Packaging etc., as required for the completion of work.

8. VALIDITY OF BID:

The bid will remain valid for 1months from the date of opening of financial bid.

9. TEST AND INSPECTIONS

Upon completion of the installation work, the tenderer/supplier shall facilitate inspection of the equipment by the principal or his authorized representative, to inspect & test the equipment and to confirm that they are installed in conformity to the required specifications and are serving the desired purpose. Any defect or failure to serve the desired purpose, discovered during the inspection will be promptly rectified


Principal,
R.I.H.S., Bhogral

and made good to the satisfaction of the principal or his authorized representatives.

10. GUARANTEE/WARRANTY (Annexure-V)

The tenderer shall furnish along with their quotations the under noted Guarantee/Warranty:

- A. The Guarantee/ Warranty shall be for a period of at least 12 months from the date of satisfactory installation and handing over the equipment and of works conducted there with covered under the contract in working order. During the guarantee period the replacement of any part(s) of the equipment or rectification of defect of works will be free of cost. If the downtime exceeds seven consecutive days at any one time, the guarantee period will be extended beyond aforesaid 12 months by duration equal to the total down time during the period of warranty.
- B. The tenderer should produce written guarantee stating that the equipment being offered is latest model and that spares for the equipments will be available for a period of at least five years after its supply to the purchaser.
- C. The tenderer who set tender is accepted shall furnish the warranty (Where Ever Applicable) in **Annexure-V** Along with Bill.
- D. The manufacturer and the tenderer should guarantee the entire unit against defects of manufacture, work man ship and poor quality of components.
- A. The tenderer shall be are all cost of such replacement, including freight, if any, of such replace or repaired equipment and/or other articles but without being entailed to any extra payment on that or any other account. All documents required for replacement in part/parts will be made available by the indenter


Principal,
R.I.H.S. Bhograi

Bidder Details


1. Name & Postal address of Bidder:
2. E-mail:
Name & address of Owners/ Partners/Directors:
Nature of Farm/Agency/Company (Sole/Partnership/otherwise):
3. Copy of GST Registration Certificate:
4. Copy of PAN Card:
5. Income Tax Return for last 03 Assessment years (21-22, 22-23 & 23-24):
6. Must have ISO certificate for manufacture:
7. Must have BIFMA certificate for manufacture:
8. Must have SEFA certificate for manufacture
6. Undertaking certifying that the Farm is not black listed in Annexure:
7. Each page of tender form duly signed in:
8. Dealership Certificate (Latest):
9. Whether agreed to abide by all the terms & conditions of this tender:

Signature of the Proprietor/Authorized Signatory

(Name & Signature of the tenderer with seal)

Place:

Date:


Principal,
R.I.H.S., Bhogral

FINANCIAL BID

To
The Principal
R.I.H.S., Bhograi
Bhograi, Balasore

Ref. Tender No:Dated.....

Sir,
I/We here by offer to supply the following laboratory furniture items at the prices
and within the period indicated below.

SL No	Name of the Items	Make/Brand	Qty	Taxable price Per unit	GST@ %	Total Price Including GST
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						


It is herewith certified that I/We have understood the general Terms & Conditions of the bid and our offer is to supply items strictly in accordance with the requirements and the terms mentioned in the bid

NOTE: No change in the Performa is permissible.

Signature & Seal of the Supplier

Place:

Date:


Principal,
R.I.H.S., Bhograi

SELFDECLARATIONCUMUNDERTAKING

It is certified that my Farm/ Agency/ Company has never been **black listed** by any of the Departments/ Autonomous Institutions/ Universities/ Public Sector Undertakings of the Government of India or Government of Odisha or any other State Government or reputed educational institutions and no criminal case is pending against the said Farm/Agency/Company as on date _____.

Seal &Signature of the Bidder

Name of the Authorized Signatory:

Name of the Farm:

Seal:


Principal,
R.I.H.S., Bhogral

GUARANTEE/WARRANTY

I/We hereby declare that the Furniture and other articles supplied to the purchaser under this contract shall be of the best quality and workmanship and are strictly in accordance with the specification and particulars contained/mentioned in the clause hereof and I/we hereby guarantee that the said furniture and other articles confirm to the description and quality aforesaid.


The purchaser will be entitled to reject the said furniture and other articles as maybe discovered not to confirm to the said description and quality. On such rejection the furniture and other articles will be returned in own risk and all the provision herein contained relating to rejection thereof shall apply. I/we shall, if called upon to do so, replace within a period of 14 days or such further period that be extended from time to time by the purchase at his discretion, and an application made thereof by us, the furniture and other articles as are rejected by the purchaser and in such an event the above mentioned Warranty shall apply to the furniture and/or other articles replaced from the date of replacement thereof, otherwise the tenderer shall pay to the purchaser such damages as may arise by reason of therein contained without prejudice to any other right of the purchaser in that behalf.

The equipment being offered is latest model and that spares for the furniture will be available for a period of at least five years after its supply to the purchaser. The Guarantee/ Warranty shall be for a period of at least 12 months from the date of satisfactory installation and handing over the furniture and of works conducted there with covered under the contract in working order. During the guarantee period the replacement of any part(s) of the furniture or rectification of defect due to manufacturing of works will be free of cost. If the downtime exceeds seven consecutive days at any one time, the guarantee period will be extended beyond aforesaid 12months by duration equal to the total down time during the period of warranty.

Signature with seal of the tenderer

Date:

Place:


Principal,
R.I.H.S., Bhograt

LETTER OF WILLINGNESS

To
The Principal,
R.I.H.S., Bhograi
Balasore, Odisha

Sub: Submission of willingness certificate to supply/ install (Laboratory Furniture/Books) at your college premise.

Sir,


I am to inform you that my firm (_____) is ready to **supply/install** (Science Lab. Furniture/Books) within the specified period of receipt of work order from the college, if my firm is selected as eligible bidder during the selection of tender. I am willing to accept all the clauses of Bid evaluation criteria, general terms and compliance to the scope of work requirement as mentioned in the Tender form. If my firm fails to supply and install the required items in the quoted price.

Yours faithfully,

Authorized Signatory of the firm with Seal

Date:


Place:


Principal,
R.I.H.S., Bhograi

LIST OFFURNITURES

Brand : ELRAADO LAB/ BIOLINKK/SPANCOTEK/PRAGATI/HP

Sl No.	Experiment Name & Technical Specification	Vendor Specification	Deviation if any
01	<p><u>CHEMISTRY- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <ul style="list-style-type: none"> ➤ Dimension: 2100mm (L) x 1500mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding& Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Table Construction (under bench modules) as per specified drawing <ul style="list-style-type: none"> (a) Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to with stand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for floor levellers (e) The base of modules must have skirting panels (f) Provision for two reagent racks (800mm L x 300mm B x 600mm H) with one good locking poly propylene peg board facility with 24 pegs (g) Provision for one poly propylene sink (560mm L x 350mm B x 250mm H). It must have (1) high durability and high thickness, (2) Inert towards all chemicals/Acids/Alkalis/U.V Radiation & Oxidising agents (h) 3-way tap must be provided with sink (i) Two nos of 2 way heavy duty brass Gas Connector for each table (j) The table must be designed for aesthetic look ➤ Hardware Fittings <ul style="list-style-type: none"> (a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality (b) Hinges: Godrej / EBCO Make/ or any other make of good quality (c) Handle: Godrej / EBCO Make/ or any other make of good quality (d) Lock: Godrej / EBCO Make/ or any other make of good quality <p>Colour of the module: Ivory & Dark Blue N.B: No Electrical in Chemistry Central Island Table</p>		


Principal,
R.I.H.S. Bhogral


2	<p><u>PHYSICS- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <ul style="list-style-type: none"> ➤ Dimension: 2100mm (L) x 1500mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Table Construction (under bench modules) as per specified drawing <ul style="list-style-type: none"> (a) Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for floor levellers (e) Must have three electrical connection with Switch and Sockets 2 nos each raceway in both side of the table (Anchor/Roma/Any other make of good quality) (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look ➤ Hardware Fittings <ul style="list-style-type: none"> (a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality (b) Hinges: Godrej / EBCO Make/ or any other make of good quality (c) Handle: Godrej / EBCO Make/ or any other make of good quality (d) Lock: Godrej / EBCO Make/ or any other make of good quality <p>Colour of the module: Ivory & Dark Blue</p>		
3	<p><u>ZOOLOGY- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <ul style="list-style-type: none"> ➤ Dimension: 2100mm (L) x 1500mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Table Construction (under bench modules) as per specified drawing <ul style="list-style-type: none"> (a) Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self close hydraulic 		


Principal,
R.I.H.S., Bhogral

	<p>hinges.</p> <p>(c) Must have power coated Stainless Steel handles for drawers & cupboards</p> <p>(d) Provision for floor levellers</p> <p>(e) The base of modules must have skirting panels</p> <p>(f) The table must be designed for aesthetic look</p> <p>➤ Hardware Fittings</p> <p>(a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality</p> <p>(b) Hinges: Godrej / EBCO Make/ or any other make of good quality</p> <p>(c) Handle: Godrej / EBCO Make/ or any other make of good quality</p> <p>(d) Lock: Godrej / EBCO Make/ or any other make of good quality</p> <p>➤ Colour of the module: Ivory & Dark Blue</p> <p>N.B: (i) No Electrical & water connection in Zoology Central Island Table</p>		
4	<p><u>BOTANY- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <p>➤ Dimension: 2100mm (L) x 1500mm (W) x 850 mm (H)</p> <p>➤ Granite Top: The Table top must have</p> <p>(a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom</p> <p>(b) The Granite top must be designed to withstand a load of 200-300kg per square meter</p> <p>➤ Table Construction (under bench modules) as per specified drawing</p> <p>(a) Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality.</p> <p>(b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self close hydraulic hinges.</p> <p>(c) Must have power coated Stainless Steel handles for drawers & cupboards</p> <p>(d) Provision for floor levellers</p> <p>(e) The base of modules must have skirting panels</p> <p>(f) The table must be designed for aesthetic look</p> <p>➤ Hardware Fittings</p> <p>(a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality</p> <p>(b) Hinges: Godrej / EBCO Make/ or any other make of good quality</p> <p>(c) Handle: Godrej / EBCO Make/ or any other make of good quality</p> <p>(d) Lock: Godrej / EBCO Make/ or any other make of good quality</p> <p>➤ Colour of the module: Ivory & Dark Blue</p> <p>N.B: (i) No Electrical & water connection in Botany Central Island Table</p>		
5	<p><u>CHEMISTRY- WALL SIDE SHELF TABLE- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p>		


Principal,
R.I.H.S., Bhograi

	<ul style="list-style-type: none"> ➤ Dimension: 7500mm (L) x 600mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Under Bench Modules <ul style="list-style-type: none"> (a) Top Drawer (5Nos-150mm H) (b) Bottom Cup Board (5 Nos) with Horizontal Removable inner partition. (c) Lockable Five Doors (Two Shutters each) with self close hydraulic hinges (d) Provision for floor levellers (e) Powder coated Stainless Steel handles for drawers & Cup Boards (f) The base of modules must have skirting panels (g) The modules must be designed for aesthetic look ➤ Hardware Fittings <ul style="list-style-type: none"> (a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality (b) Hinges: Godrej / EBCO Make/ or any other make of good quality (c) Handle: Godrej / EBCO Make/ or any other make of good quality (d) Lock: Godrej / EBCO Make/ or any other make of good quality ➤ Colour of the module: Ivory & Dark Blue ➤ Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. ➤ Steel: TATA/Jindal/Equivalent ➤ EPOXY Powder Thickness: 80 micron ➤ EPOXY Powder Material: Jotun Powder ➤ EPOXY Powder Company name: Jotun ➤ Electrical connection in wall table must be done as per drawing. Electrical race way fitted with 16A modular switch & sockets on the top of the table- 6+6 nos each (Anchor/Roma or any other make of Good Quality) 		
6	<p><u>PHYSICS- WALL SIDE SHELF TABLE- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <ul style="list-style-type: none"> ➤ Dimension: 7500mm (L) x 600mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Under Bench Modules <ul style="list-style-type: none"> (a) Top Drawer (5Nos-150mm H) (b) Bottom Cup Board (5 Nos) with Horizontal Removable inner partition. (c) Lockable Five Doors (Two Shutters each) with self close hydraulic hinges 		


Principal,
R.I.H.S., Bhoqral


	<p>(d) Provision for floor levellers</p> <p>(e) Powder coated Stainless Steel handles for drawers & Cup Boards</p> <p>(f) The base of modules must have skirting panels</p> <p>(g) The modules must be designed for aesthetic look</p> <p>➤ Hardware Fittings</p> <p>(a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality</p> <p>(b) Hinges: Godrej / EBCO Make/ or any other make of good quality</p> <p>(c) Handle: Godrej / EBCO Make/ or any other make of good quality</p> <p>(d) Lock: Godrej / EBCO Make/ or any other make of good quality</p> <p>➤ Colour of the module: Ivory & Dark Blue</p> <p>➤ Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality.</p> <p>➤ Steel: TATA/Jindal/Equivalent</p> <p>➤ EPOXY Powder Thickness: 80 micron</p> <p>➤ EPOXY Powder Material: Jotun Powder</p> <p>➤ EPOXY Powder Company name: Jotun</p> <p>➤ Electrical connection in wall table must be done as per drawing. Electrical race way fitted with 16A modular switch & sockets on the top of the table- 6+6 nos each (Anchor/Roma or any other make of Good Quality)</p>		
7	<p><u>ZOOLOGY- WALL SIDE SHELF TABLE- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <p>➤ Dimension: 7500mm (L) x 600mm (W) x 850 mm (H)</p> <p>➤ Granite Top: The Table top must have</p> <p>(a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom</p> <p>(b) The Granite top must be designed to withstand a load of 200-300kg per square meter</p> <p>➤ Under Bench Modules</p> <p>(a) Top Drawer (5Nos-150mm H)</p> <p>(b) Bottom Cup Board (5 Nos) with Horizontal Removable inner partition.</p> <p>(c) Lockable Five Doors (Two Shutters each) with self close hydraulic hinges</p> <p>(d) Provision for floor levellers</p> <p>(e) Powder coated Stainless Steel handles for drawers & Cup Boards</p> <p>(f) The base of modules must have skirting panels</p> <p>(g) The modules must be designed for aesthetic look</p> <p>➤ Hardware Fittings</p> <p>(a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality</p> <p>(b) Hinges: Godrej / EBCO Make/ or any other make of good quality</p> <p>(c) Handle: Godrej / EBCO Make/ or any other make of good quality</p>		


Pincipal,
R.I.H.S..Bhograi

	<p>(d) Lock: Godrej / EBCO Make/ or any other make of good quality</p> <ul style="list-style-type: none"> ➤ To provide rate quotation for a good looking wall hanging poly propylene peg board with 24 peg ➤ Provision for one 2-way Heavy duty Brass gas connector at one end ➤ Provision for one poly propylene sink (560mm L x 350mm B x 250mm H), It must have (1) high durability and high thickness, (2) Inert towards all chemicals/Acids/Alkalis/U.V Radiation & Oxidising agents ➤ Colour of the module: Ivory & Dark Blue ➤ Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. ➤ Steel: TATA/Jindal/Equivalent ➤ EPOXY Powder Thickness: 80 micron ➤ EPOXY Powder Material: Jotun Powder ➤ EPOXY Powder Company name: Jotun ➤ Electrical connection in wall table must be done as per drawing. Electrical race way fitted with 16A modular switch & sockets on the top of the table- 6+6 nos each (Anchor/Roma or any other make of Good Quality) 		
8	<p><u>BOTANY- WALL SIDE SHELF TABLE- ISLAND TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u></p> <ul style="list-style-type: none"> ➤ Dimension: 7500mm (L) x 600mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Under Bench Modules <ul style="list-style-type: none"> (a) Top Drawer (5Nos-150mm H) (b) Bottom Cup Board (5 Nos) with Horizontal Removable inner partition. (c) Lockable Five Doors (Two Shutters each) with self close hydraulic hinges (d) Provision for floor levellers (e) Powder coated Stainless Steel handles for drawers & Cup Boards (f) The base of modules must have skirting panels (g) The modules must be designed for aesthetic look ➤ Hardware Fittings <ul style="list-style-type: none"> (a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality (b) Hinges: Godrej / EBCO Make/ or any other make of good quality (c) Handle: Godrej / EBCO Make/ or any other make of good quality (d) Lock: Godrej / EBCO Make/ or any other make of good quality ➤ To provide rate quotation for a good looking wall hanging poly propylene peg board with 24 peg 		


Principal,
R.I.H.S., Bhograi

	<ul style="list-style-type: none"> ➤ Provision for one 2-way Heavy duty Brass gas connector at one end ➤ Provision for one poly propylene sink (560mm L x 350mm B x 250mm H), It must have (1) high durability and high thickness, (2) Inert towards all chemicals/Acids/Alkalis/U.V Radiation & Oxidising agents ➤ Colour of the module: Ivory & Dark Blue ➤ Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. ➤ Steel: TATA/Jindal/Equivalent ➤ EPOXY Powder Thickness: 80 micron ➤ EPOXY Powder Material: Jotun Powder ➤ EPOXY Powder Company name: Jotun ➤ Electrical connection in wall table must be done as per drawing. Electrical race way fitted with 16A modular switch & sockets on the top of the table- 6+6 nos each (Anchor/Roma or any other make of Good Quality) 		
9	Laboratory Storage Rack (EPOXY Based) <ul style="list-style-type: none"> ➤ Dimension: 1981mm (H) x 1500mm (W) x 450 mm (D) ➤ Must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. ➤ Must have power coated Stainless Steel handles ➤ Provision for floor levellers ➤ The body of the storage cabinet must be inert towards all chemicals/acids/alkalis/any oxidizing agents ➤ The table must be designed for aesthetic look ➤ Hardware Fittings <ul style="list-style-type: none"> (a) Handle: Godrej / EBCO Make/ or any other make of good quality (b) Lock: Godrej / EBCO Make/ or any other make of good quality ➤ Colour of the module: Ivory & Dark Blue ➤ EPOXY Powder Thickness: 80 micron ➤ EPOXY Powder Material: Jotun Powder ➤ EPOXY Powder Company name: Jotun 		
10	DESK & BENCH (attached) <ul style="list-style-type: none"> ➤ top made of 20 gauge CR sheet ➤ Attached Bench desk ➤ Desk Size: Size: 5.5ft(L) x 12"(W) x 32"(H) ➤ Bench Size: 5.5ft(L) x 10"(W) x 22"(H) ➤ Bench & Desk Gap: 10" 		
11	OFFICE CHAIR <ul style="list-style-type: none"> ➤ Material: Plastic ➤ with Cushion 		
12	<u>TEACHER'S DEMONSTRATION TABLE (EPOXY PU/POLY CARBONATE/ POLYESTER/ COMPOSITE POWDER COATED)</u> <ul style="list-style-type: none"> ➤ Dimension: 1800mm (L) x 900mm (W) x 850 mm (H) ➤ Granite Top: The Table top must have <ul style="list-style-type: none"> (a) 20mm (\pm 1mm) finely polished thick black colour Granite, 		


Principal,
R.I.H.S., Bhogral

	<p>Bull nose/Chamfer moulding & Groove at the bottom</p> <p>(b) The Granite top must be designed to withstand a load of 200-300kg per square meter</p> <p>➤ Table Construction (under bench modules) as per specified drawing</p> <p>(a) Modules must have 20 SWG pre-coated electro-galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80 micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality.</p> <p>(b) Must have top lockable drawers (2 nos-150mm H, bottom cup boards (2nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self close hydraulic hinges.</p> <p>(c) Must have power coated Stainless Steel handles for drawers & cupboards</p> <p>(d) Provision for floor levellers</p> <p>(e) The base of modules must have skirting panels</p> <p>(f) The table must be designed for aesthetic look</p> <p>➤ Hardware Fittings</p> <p>(a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality</p> <p>(b) Hinges: Godrej / EBCO Make/ or any other make of good quality</p> <p>(c) Handle: Godrej / EBCO Make/ or any other make of good quality</p> <p>(d) Lock: Godrej / EBCO Make/ or any other make of good quality</p> <p>➤ Colour of the module: Ivory & Dark Blue</p>		
13	<p>TEACHER'S TABLE (for class room) (Podium Table)</p> <p>➤ Height Size: 3'10"-3'6"</p> <p>➤ 2'x18" (W)</p> <p>➤ Top made of 20 gauge CR sheet</p>		
14	<p>WHITE BOARD</p> <p>➤ Size: 4x8 ft</p>		
15	<p>Fire Extinguisher</p> <p>➤ Size: 6kg, CO2 type</p>		
16	<p>DUSTBIN</p> <p>➤ Material: Plastic</p> <p>➤ Size: 20L</p>		
17	<p>DESKTOP COMPUTER</p> <p>➤ Desktop-Intel Core i5, 12th generation, 16GB RAM, 512 SSD, MSO, Windows 11, 22" monitor, Key Board, Mouse & UPS-600</p>		
18	<p>CHAIR FOR COMPUTER LAB</p> <p>➤ Material: Plastic</p>		
19	<p>COMPUTER TABLE FOR COMPUTER LAB</p> <p>➤ Both side student sitting computer table Size: 20ft (L) x 2ft (W) x 2.5ft (H)- 16 students</p> <p>➤ Side wall single student sitting computer table Size: 27.5ft(L) x 2ft (W) x 2.5ft(H)- 11 students</p> <p>➤ Side wall single student sitting computer table Size: 15ft(L) x 2ft (W) x 2.5ft(H)- 6 students</p>		
20	<p>ALMIRAH</p> <p>➤ Two door Official Almira made up of 20 gauge CR sheet (with 4 numbers of plain shelf and lock facility)</p>		


Principal,
R.I.H.S., Bhojral

	➤ Size 6'(H) X 3'(W)		
21	STOOL ➤ Material: Stainless Steel/20 gauge CR sheet ➤ Size:1.5ft(L) X 1ft(W) X 2ft(H)		
22	Reference Books ➤ As per model UG CBCS Syllabus for Science, Arts & Commerce.		

CV San
Principal,
R.I.H.S., Bhograi